



stinsons.com

Ph (661) 323-7611 Fax (661) 327-5299

QUOTE

INVOICE NUMBER	43648-0
INVOICE DATE	08/24/23
ACCOUNT NUMBER	1282
DEPT NUMBER	

BILL TO ADDRESS		SHIP TO ADDRESS		
BAKERSFIELD CITY SCHOOLS 1300 BAKER STREET BAKERSFIELD CA 93305 661-631-4600		BAKERSFIELD CITY SCHOOLS 1300 BAKER STREET BAKERSFIELD CA 93305		
CUSTOMER PURCHASE ORDER	SORT	ROUTE	PAYCODE	ORDER TAKER
5700DN		5	QUOTE	1040

QUOTE

ITEM NUMBER	MFG	ITEM DESCRIPTION	UM	ORD QTY	B/O QTY	SHIP QTY	SALE PRICE	EXT PRICE
6QN28A	HEW	HP CLR LASERJET ENT 5700DN PRN	EA	1		1	985.000	985.00
W2130Y	HEW	HP 213Y (W2130Y) 5700 ENT. SFP	EA	1		1	263.390	263.39
W2131Y	HEW	HP 213Y (W2131Y) 5700 ENT. SFP	EA	1		1	316.740	316.74
W2132Y	HEW	HP 213Y (W2132Y) 5700 ENT. SFP	EA	1		1	316.740	316.74
W2133Y	HEW	HP 213Y (W2133Y) 5700 ENT. SFP	EA	1		1	316.740	316.74

Subtotal	2198.61
Tax	181.39
Total Due	2380.00



HP Color LaserJet Enterprise 5700dn Printer

6QN28A



HP Color LaserJet Enterprise M555dn

7ZU78A

Functions	Print - 45ppm	Print - 40ppm
First page out (ready)	Black: As fast as 6.8 sec [8] [8] Measured using ISO/IEC 17629. For more information see https://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.	Black: As fast as 6.6 sec [8] [7] Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
First page out color (A4, ready)	As fast as 7.6 sec	As fast as 7.6 sec
Duty cycle (monthly, letter)	Up to 80,000 pages Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.	Up to 80,000 pages Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Recommended monthly page volume	2000 to 10000 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.	2000 to 10,000 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Print technology	Laser	Laser

Print quality black (best)	Up to 1,200 x 1,200 dpi	HP ImageREt 3600
Print quality color (best)	Up to 1200 x 1200 dpi	HP ImageREt 3600
Processor speed	1.4 GHz	1.2 GHz
Print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)	4 (1 each black, cyan, magenta, yellow)
Mac compatible	Yes	Yes
Printer Management	HP Web JetAdmin; Embedded Web Server; HP Security Manager; HP Insights; HP Advance; HP Command Center; HP Smart Device Services (SDS)	HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Mobile printing capability	HP ePrint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified	HP ePrint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified
Mobile printing capability footnote number		[4]
Connectivity, standard	1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket
Connectivity, optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A
Memory	1.5 GB	1 GB

Maximum Memory	3.5 GB	2 GB
Internal Storage		Optional, 500 GB (with accessory B5L29A)
Input capacity	Up to 650 sheets	
Maximum input capacity (sheets)	Up to 2300 sheets	Up to 2300 sheets
Output capacity	Up to 250 sheets	Up to 250 sheets
Maximum output capacity (sheets)	Up to 250 sheets	Up to 250 sheets
Duplex printing	Automatic	Automatic (standard)
Paper trays, standard	2	2
Paper trays, maximum	5	5
Envelope Feeder	No	No
Media sizes supported	Tray 1: letter, legal, executive, statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Tray 2, optional 1x550-sheet feeders: letter, legal, executive, statement, Oficio, 4 x 6 in, 5 x 7 in, 5 x 8 in	Tray 1: Letter, Legal, Oficio, Executive, Statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, Postcard (JIS), Double Postcard (JIS), 8.5 x 13, Envelope (commercial No. 9, No. 10, Monarch); Custom: 3 x 5 to 8.5 x 14 in; Tray 2: Letter, Executive, Statement, 4 x 6, 5 x 7, 5 x 8, Double Postcard (JIS); Custom: 4.0 x 5.85 to 8.5 x 11.69 in; Optional Trays 3+: Letter, Legal, Oficio, Executive, 8.5 x 13; Custom: 4.0 x 5.85 to 8.5 x 14 in
Media sizes, custom	Tray 1: 2.52 x 5 to 8.5 x 47.24 in; Tray 2, optional 1x550-sheet feeders: 4 x 5.83 to 8.5 x 14 in	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.0 x 5.85 to 8.5 x 11.69 in; Optional Trays 3+: 4.0 x 5.85 to 8.5 x 14 in
Media types	Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy) color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined

Media weight, supported	Tray 1: 16 to 58 lb (plain), 32 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain), 32 to 58 lb (glossy); optional 550-sheet input trays: 16 to 58 lb (plain), 32 to 58 lb (glossy);	Tray 1: 16 to 58 lb (plain); 28 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper); Optional Trays 3+: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper); Automatic Duplexer: 16 to 43 lb
Power supply type	Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)	Built-in 115V or 220V Power Supply
Power consumption	605.3 watts (Printing/Copying), 40.1 watts (Ready), 1.1 watts (Sleep), 0.09 watts (Manual Off)	622 watts (Printing), 31.3 watts (Ready), 2.4 watts (Sleep), 0.06 watts (Auto-Off/Manual On), 0.69 watts (Auto-Off/Auto-On/Wake on LAN)
Power consumption Note	Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.	Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0 TEC is not comparable to Energy Star Version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device
Typical electricity consumption (TEC) number	0.515 kWh/week (Energy Star 3.0); 0.491 kWh/week (Blue Angel)	1.368 kWh/Week (Blue Angel); 0.464 kWh/Week (Energy Star 3.0)
Energy star certified	Yes	Yes
Pallet dimensions	39.37 x 47.24 x 82.91 in	47.3 x 39.4 x 100 in (AMS), 47.3 x 39.4 x 76.7 in (APJ, EMEA)
Weight	31.14 kg 68.5 lb with supplies	27.5 kg 60.6 lb With printer cartridges
Pallet weight	936.94 lb	1148 lb (AMS), 872 lb (APJ, EMEA)